

06/29/00
JC764 U.S. PTO

07-03-00

Attorney Docket No.: 3COM-2950.TDC.US.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Application

I hereby certify that this transmittal of the below described documents is being deposited with the United States Postal Service in an envelope bearing Express Mail Postage and an Express Mail label, with the below serial number, addressed to the Commissioner of Patents and Trademarks, Washington, D.C., 20231, on the below date of deposit.			
Express Mail Label No.:	EK860119185US	Name of Person Making the Deposit:	ANTHONY CHOU
Date of Deposit:	06/29/00	Signature of the Person Making the Deposit:	<i>Anthony Chou</i>

Inventor(s): Elaine Lusher, Wenjun Luo and Scott Lincke

Title: DYNAMIC CONTENT MANAGEMENT FOR WIRELESS COMMUNICATION SYSTEMS

The Commissioner of Patents and Trademarks

Washington, D.C. 20231

Sir:

Transmittal of a Patent Application
(Under 37 CFR §1.53)

Transmitted herewith is the above identified patent application, including:

- ☒ Specification, claims and abstract, totaling 40 pages.
- ☐ Formal drawings, totaling _____ pages.
- ☒ Informal drawings, totaling 11 pages.
- ☒ Declaration and Power of Attorney.
- ☐ Information Disclosure statement.
- ☐ Form 1449
- ☒ Assignment(s)
- ☒ Assignment Recordation Form (duplicate)
- ☐ Preliminary Amendment

FEES DUE

The fees due for filing the specification pursuant to 37 C.F.R. § 1.16 and for recording of the Assignment, if any, are determined as follows:

CLAIMS					
	NO. OF CLAIMS		EXTRA CLAIMS	RATE	FEES
Basic Application Fee					\$690.00
Total Claims	21	Minus 20=	1	X \$18 =	\$18.00
Independent Claims	3	Minus 3=	0	X \$78=	\$0.00
If multiple dependent claims are presented, add \$260.00					\$0.00
Add Assignment Recording Fee of \$40.00 If Assignment document is enclosed					\$40.00
TOTAL APPLICATION FEE DUE					\$748.00

PAYMENT OF FEES

The full fee due in connection with this communication is provided as follows:

1. Not enclosed
 - ☐ No filing fee is to be paid at this time.
2. Enclosed
 - ☒ Filing fee
 - ☒ Recording assignment
 - ☐ Petition fee for filing by other than all the inventors or person on behalf of the inventor where inventor refused to sign or cannot be reached
 - ☐ For processing an application with specification in a non-English language
 - ☐ Processing and retention fee
 - ☐ Fee for international-type search report
 - ☒ The Commissioner is hereby authorized to charge any additional fees associated with this communication or credit any overpayment to Deposit Account No.: 23-0085. A duplicate copy of this authorization is enclosed.
 - ☒ A check in the amount of \$748.00
 - ☐ Charge any fees required or credit any overpayments associated with this filing to Deposit Account No.: 23-0085.

This application is filed pursuant to 37 C.F.R. § 1.53 in the name of the above-identified Inventor(s).


Please direct all correspondence concerning the above-identified application to the following address:

WAGNER, MURABITO & HAO LLP
Two North Market Street, Third Floor
San Jose, California 95113
(408) 938-9060

- ☒ This transmittal ends with this page.

Respectfully submitted,

Date: 6/27/00

By: 
John P. Wagner, Jr.
Reg. No. 35,398

006290" 42540350

UNITED STATES PATENT APPLICATION FOR

DYNAMIC CONTENT MANAGEMENT
FOR WIRELESS COMMUNICATION SYSTEMS

Inventors:
ELAINE LUSHER
WENJUN LUO
SCOTT LINCKE

Prepared by:
WAGNER, MURABITO & HAO LLP
Two North Market Street
Third Floor
San Jose, California 95113

DYNAMIC CONTENT MANAGEMENT
FOR WIRELESS COMMUNICATION SYSTEMS

5

TECHNICAL FIELD

The present invention generally pertains to the field of mobile devices. More particularly, the present invention is related to wireless
10 network access using a mobile device.

BACKGROUND ART

As the components required to build a computer system have reduced in size, new categories of computer systems have emerged. One of the more
15 recent categories of computer systems is the portable or "palmtop" computer system, or personal digital assistant (PDA). A palmtop computer system is a computer that is small enough to be held in the hand of a user and is thus "palm-sized." As a result, palmtops are readily carried about in a briefcase or purse, and some palmtops are compact enough to fit into a
20 person's pocket. By virtue of their size, palmtop computer systems are also lightweight and so are exceptionally portable and convenient.

With the advent of the wireless technology, users of portable computers and various other mobile devices (e.g. pagers and paging
25 systems, wireless and cellular telephones, electronic address books, and the like) now have wireless access to a host of content. This content includes web-based content which can be accessed using the Internet. Based on rapid consumer acceptance of recent technological advances, it is

extremely likely that the demand for such web-based content using mobile devices will sharply accelerate. Some provisions have been made in web-based content, and in the delivery of such web-based content, to accommodate mobile devices. These provisions, referred to herein as

5 tailoring of the content, typically comprise generically parsing information which is to be transmitted using a wireless communication system to a user of a mobile device (often referred to as "web-clipping"). As an example, many examples of generic web-clipping simply delete images, icons, and other graphics present in the web content. Unfortunately, in

10 many applications (e.g. ECommerce) certain images, icons, and other graphics (e.g. a shopping cart icon, a "buy now" button, a picture of the item being purchased, and the like) are necessary or, at the least, important in comprehending the web-based content. Thus, even when certain web-based content has been "tailored" for mobile devices using

15 conventional methods, such tailored content may still not be suitable for mobile device users.

As an additional drawback, many suppliers of web-based content have not yet made such provisions to accommodate the users of mobile

20 devices. That is, the content has not yet been tailored by the web content suppliers to provide access by a mobile device. As a result, such web-based content is essentially not accessible to mobile device users. For example, users of mobile devices have not typically been enabled to effectively utilize many of the existing ECommerce applications. This inability of the mobile

25 device user to utilize existing ECommerce applications is not, however, solely due to a lack of tailoring by ECommerce content providers. Even if all such ECommerce applications and corresponding content were

DISCLOSURE OF THE INVENTION

006290 4E520950

The present invention provides a method and system which dynamically manages the content provided to a mobile device. The present invention further provides a method and system which achieves the above accomplishment and which dynamically manages the content provided to a mobile device even if the content has not previously been tailored to accommodate access by a mobile device. The present invention also provides a method and system which achieves the above accomplishment and which inexpensively, and quickly provides a mobile device user with desired information without supplying superfluous and/or unwanted information.

In one embodiment, the present invention begins by retrieving information from a network. In one embodiment the information is web-based content, and the network is the Internet. The present method and system then dynamically assesses the information which was retrieved from the network. In particular, in one embodiment, the present invention assesses the information by determining the application to which the information corresponds. Next, the present embodiment selectively filters the information such that desired information is compiled. After the selective filtering process, the present embodiment forwards the desired information to the mobile device. In so doing, the present embodiment provides an approach which dynamically manages the content of information so as to efficiently, responsively, and inexpensively provide a mobile device user with desired information.

In another embodiment, the present invention includes the features of the above-listed embodiment, and further recites that prior to forwarding the desired information to the mobile device, the desired information is reformatted based upon characteristics of the mobile device.

5

These and other advantages of the present invention will no doubt become obvious to those of ordinary skill in the art after having read the following detailed description of the preferred embodiments which are illustrated in the various drawing figures.

006230 4E520960

BRIEF DESCRIPTION OF THE DRAWINGS

The accompanying drawings, which are incorporated in and form a part of this specification, illustrate embodiments of the invention and, together with the description, serve to explain the principles of the invention:

FIGURE 1A is a block diagram of an exemplary network environment including a portable computer system in accordance with one embodiment of the present invention.

FIGURE 1B is a block diagram of a portable computer system connected to other computer systems and the Internet via a cradle device in accordance with one embodiment of the present invention.

FIGURE 2 is a top side perspective view of a portable computer system in accordance with one embodiment of the present invention.

FIGURE 3 is a bottom side perspective view of the portable computer system of Figure 2.

FIGURE 4 is an exploded view of the components of the portable computer system of Figure 2.

FIGURE 5 is a block diagram of one embodiment of a portable computer system in accordance with the present invention.

FIGURE 6 is a perspective view of the cradle device for connecting the portable computer system to other systems via a communication interface in accordance with one embodiment of the present invention.

5 FIGURE 7 is a block diagram of one embodiment of a desktop or laptop computer system in accordance with the present invention.

FIGURE 8 is a block diagram of one embodiment of a system for allowing a portable computer system and another computer system to
10 communicate in accordance with the present invention.

FIGURE 9 is a schematic representation of one embodiment of a server architecture for dynamically managing content to be provided to a user of a mobile device in accordance with the present invention.
15

FIGURE 10 is a flow chart of steps performed by one embodiment of a system and method for dynamically managing content to be provided to a user of a mobile device in accordance with the present invention.

20 FIGURE 11 is a diagram of an ECommerce-related web site whose content can be dynamically managed by the server of FIGURE 9 in accordance with the present invention.

The drawings referred to in this description should be understood as
25 not being drawn to scale except if specifically noted.

BEST MODE FOR CARRYING OUT THE INVENTION

Reference will now be made in detail to the preferred embodiments of the invention, examples of which are illustrated in the accompanying drawings. While the invention will be described in conjunction with the preferred embodiments, it will be understood that they are not intended to limit the invention to these embodiments. On the contrary, the invention is intended to cover alternatives, modifications and equivalents, which may be included within the spirit and scope of the invention as defined by the appended claims. Furthermore, in the following detailed description of the present invention, numerous specific details are set forth in order to provide a thorough understanding of the present invention. However, it will be obvious to one of ordinary skill in the art that the present invention may be practiced without these specific details. In other instances, well known methods, procedures, components, and circuits have not been described in detail as not to unnecessarily obscure aspects of the present invention.

NOTATION AND NOMENCLATURE

Some portions of the detailed descriptions, which follow, are presented in terms of procedures, steps, logic blocks, processing, and other symbolic representations of operations on data bits that can be performed on computer memory. These descriptions and representations are the means used by those skilled in the data processing arts to most effectively convey the substance of their work to others skilled in the art. A procedure, computer executed step, logic block, process, etc., is here, and generally, conceived to be a self-consistent sequence of steps or instructions leading to a desired result. The steps are those requiring physical manipulations of

006290-152090

physical quantities. Usually, though not necessarily, these quantities take the form of electrical or magnetic signals capable of being stored, transferred, combined, compared, and otherwise manipulated in a computer system. It has proven convenient at times, principally for
5 reasons of common usage, to refer to these signals as bits, values, elements, symbols, characters, terms, numbers, or the like.

It should be borne in mind, however, that all of these and similar terms are to be associated with the appropriate physical quantities and are
10 merely convenient labels applied to these quantities. Unless specifically stated otherwise as apparent from the following discussions, it is appreciated that throughout the present invention, discussions utilizing terms such as "creating" or "utilizing" or "retrieving" "providing" or the like, refer to the action and processes of a computer system, or similar
15 electronic computing device, that manipulates and transforms data represented as physical (electronic) quantities within the computer system's registers and memories into other data similarly represented as physical quantities within the computer system memories or registers or other such information storage, transmission or display devices.

20

EXEMPLARY PALMTOP PLATFORM

Figure 1A is a block diagram of an exemplary network environment
50 including a portable computer system 100 in accordance with one embodiment of the present invention. Portable computer system 100 is also
25 known as a palmtop or palm-sized computer system. In one embodiment, portable computer system 100 has the ability to transmit and receive data and information over a wireless communication interface (e.g., a radio

has a particular Internet address and acts as a proxy device for portable computer system 100 over the Internet 52.

It should be further appreciated that other embodiments of a communications network, planned or envisioned, may be utilized in accordance with the present invention. For example, a wireless connection may be made from portable computer system 100 directly to the Internet 52.

The data and information which are communicated between base station 32 and portable computer system 100 are the same type of information and data that can conventionally be transferred and received over a public telephone wire network system. However, a wireless communication interface is utilized to communicate data and information between portable computer system 100 and base station 32. It should be appreciated that one embodiment of a wireless communication system in accordance with the present invention is the Mobitex wireless communication system. The present invention is, however, well suited to use with any of the various other wireless communication systems.

Figure 1B illustrates another embodiment of a system 51 that can be used in conjunction with various embodiments of the present invention. System 51 comprises a host computer system 56 which can either be a desktop unit as shown, or, alternatively, can be a laptop system 58. Optionally, one or more host computer systems can be used within system 51. Host computer systems 58 and 56 are shown connected to a communication bus 54, which in one embodiment can be a serial communication bus, but could be of any of a number of well known designs,

e.g., a parallel bus, Ethernet Local Area Network (LAN), etc. Optionally, bus 54 can provide communication with the Internet 52 using a number of well-known protocols.

Importantly, bus 54 is also coupled to a cradle 60 for receiving and initiating communication with portable computer system 100 ("handheld computer") of the present invention. Cradle 60 provides an electrical and mechanical communication interface between bus 54 (and anything coupled to bus 54) and the computer system 100 for two-way communications. It is appreciated that, in accordance with the present invention, portable computer system 100 may instead be coupled to host computer systems 56 and 58 via a wireless (radio) connection. Computer system 100 also contains a wireless infrared communication mechanism 64 for sending and receiving information from other devices.

With reference to both Figures 1A and 1B, it is appreciated that portable computer system 100 can be used in a network environment combining elements of networks 50 and 51. That is, as will be seen below, portable computer system 100 can include both a wireless infrared communication mechanism and a signal (e.g., radio) receiver/transmitter device.

Figure 2 is a perspective illustration of the top face 100a of one embodiment of the palmtop computer system 100 of the present invention. The top face 100a contains a display screen 105 surrounded by a bezel or cover. A removable stylus 80 is also shown. The display screen 105 is a touch screen able to register contact between the screen and the tip of the

stylus 80. The stylus 80 can be of any material to make contact with the screen 105. The top face 100a also contains one or more dedicated and/or programmable buttons 75 for selecting information and causing the computer system to implement functions. The on/off button 95 is also
5 shown.

Figure 2 also illustrates a handwriting recognition pad or "digitizer" containing two regions 106a and 106b. Region 106a is for the drawing of alphabetic characters therein (and not for numeric characters) for
10 automatic recognition, and region 106b is for the drawing of numeric characters therein (and not for alphabetic characters) for automatic recognition. The stylus 80 is used for stroking a character within one of the regions 106a and 106b. The stroke information is then fed to an internal processor for automatic character recognition. Once characters are
15 recognized, they are typically displayed on the screen 105 for verification and/or modification.

Figure 3 illustrates the bottom side 100b of one embodiment of the palmtop computer system that can be used in accordance with various
20 embodiments of the present invention. An extendible antenna 85 is shown, and also a battery storage compartment door 90 is shown. A communication interface 180 is also shown. In one embodiment of the present invention, the communication interface 180 is a serial communication port, but could also alternatively be of any of a number of
25 well-known communication standards and protocols, e.g., parallel, SCSI (small computer system interface), Firewire (IEEE 1394), Ethernet, etc.

Figure 4 is an exploded view of the palmtop computer system 100 in accordance with one implementation. Computer system 100 contains a back cover 245, and a front cover 210 having an outline of region 106 and holes 75a for receiving buttons 75b. A flat panel display 105 (both liquid crystal display and touch screen) fits into front cover 210. Any of a number of display technologies can be used, e.g., liquid crystal display (LCD), field emission display (FED), plasma, etc., for the flat panel display 105. A battery 215 provides electrical power. A contrast adjustment (potentiometer) 220 is also shown, as well as an on/off button 95. A flex circuit 230 is shown along with a printed circuit (PC) board 225 containing electronics and logic (e.g., memory, communication bus, processor, etc.) for implementing computer system functionality. The digitizer pad is also included in PC board 225. A midframe 235 is shown along with stylus 80. Position-adjustable antenna 85 is shown.

Infrared communication mechanism 64 (e.g., an infrared emitter and detector device) is for sending and receiving information from other similarly equipped devices (see Figure 1B). A signal (e.g., radio) receiver/transmitter device 108 is also shown. The receiver/transmitter device 108 is coupled to the antenna 85 and also coupled to communicate with the PC board 225. In one implementation the Mobitex wireless communication system is used to provide two-way communication between computer system 100 and other networked computers and/or the Internet via a proxy server (see Figure 1A).

Figure 5 illustrates circuitry of computer system 100, some of which can be implemented on PC board 225 (Figure 4). Computer system 100

includes an address/data bus 110 for communicating information, a central processor 101 coupled with the bus for processing information and instructions, a volatile memory 102 (e.g., random access memory, RAM) coupled with the bus 110 for storing information and instructions for the central processor 101 and a non-volatile memory 103 (e.g., read only memory, ROM) coupled with the bus 110 for storing static information and instructions for the processor 101. Computer system 100 also includes an optional data storage device 104 (e.g., memory stick) coupled with the bus 110 for storing information and instructions. Device 104 can be removable.

As described above, computer system 100 also contains a display device 105 coupled to the bus 110 for displaying information to the computer user. PC board 225 can contain the processor 101, the bus 110, the ROM 103 and the RAM 102.

With reference still to Figure 5, computer system 100 also includes a signal transmitter/receiver device 108, which is coupled to bus 110 for providing a physical communication link between computer system 100, and a network environment (e.g., network environments 50 and 51 of Figures 1A and 1B, respectively). As such, signal transmitter/receiver device 108 enables central processor unit 101 to communicate wirelessly with other electronic systems coupled to the network. It should be appreciated that within the present embodiment, signal transmitter/receiver device 108 is coupled to antenna 85 (Figure 4) and provides the functionality to transmit and receive information over a wireless communication interface. It should be further appreciated that the present embodiment of signal transmitter/receiver device 108 is well

suited to be implemented in a wide variety of ways. For example, signal transmitter/receiver device 108 could be implemented as a modem.

In one embodiment, computer system 100 includes a communication
5 circuit 109 coupled to bus 110. Communication circuit 109 includes an optional digital signal processor (DSP) 120 for processing data to be transmitted or data that are received via signal transmitter/receiver device 108. Alternatively, processor 101 can perform some or all of the functions performed by DSP 120.

10

Also included in computer system 100 of Figure 5 is an optional alphanumeric input device 106 that in one implementation is a handwriting recognition pad ("digitizer") having regions 106a and 106b (Figure 2), for instance. Alphanumeric input device 106 can communicate
15 information and command selections to processor 101. Computer system 100 also includes an optional cursor control or directing device (on-screen cursor control 107) coupled to bus 110 for communicating user input information and command selections to processor 101. In one implementation, on-screen cursor control device 107 is a touch screen
20 device incorporated with display device 105. On-screen cursor control device 107 is capable of registering a position on display device 105 where the stylus makes contact. The display device 105 utilized with computer system 100 may be a liquid crystal display device, a cathode ray tube (CRT), a field emission display device (also called a flat panel CRT) or other display
25 device suitable for generating graphic images and alphanumeric characters recognizable to the user. In the preferred embodiment, display device 105 is a flat panel display.

Figure 6 is a perspective illustration of one embodiment of the cradle 60 for receiving the palmtop computer system 100. Cradle 60 contains a mechanical and electrical interface 260 for interfacing with communication interface 108 (Figure 3) of computer system 100 when system 100 is slid into the cradle 60 in an upright position. Once inserted, button 270 can be pressed to initiate two-way communication (e.g., a communication session) between computer system 100 and other computer systems coupled to serial communication 265.

EXEMPLARY DESKTOP/LAPTOP PLATFORM

Refer now to Figure 7 which illustrates an exemplary host computer system 342 (e.g., desktop computer system 56 or laptop computer system 58 of Figure 1B) upon which embodiments of the present invention may be practiced. In one embodiment, host computer system 342 may instead be a server computer system in a computer system network (including the World Wide Web) or a proxy server computer (e.g., proxy server 36 of Figure 1B).

Continuing with reference to Figure 7, in general, computer system 342 comprises bus 700 for communicating information, processor 701 coupled with bus 700 for processing information and instructions, random access (volatile) memory (RAM) 702 coupled with bus 700 for storing information and instructions for processor 701, read-only (non-volatile) memory (ROM) 703 coupled with bus 700 for storing static information and instructions for processor 701, data storage device 704 such as a magnetic or optical disk and disk drive coupled with bus 700 for storing information

and instructions, an optional user output device such as display device 705 coupled to bus 700 for displaying information to the computer user, an optional user input device such as alphanumeric input device 706 including alphanumeric and function keys coupled to bus 700 for communicating
5 information and command selections to processor 701, and an optional user input device such as cursor control device 707 coupled to bus 100 for communicating user input information and command selections to processor 701. Furthermore, an optional input/output (I/O) device 708 is used to couple computer system 342 to, for example, a communication bus
10 (e.g., communication bus 54 of Figure 1B).

Continuing with reference to Figure 7, display device 705 utilized with computer system 342 may be a liquid crystal device, cathode ray tube, or other display device suitable for creating graphic images and
15 alphanumeric characters recognizable to the user. Cursor control device 707 allows the computer user to dynamically signal the two-dimensional movement of a visible symbol (pointer) on a display screen of display device 705. Many implementations of the cursor control device are known in the art including a trackball, mouse, joystick or special keys on alphanumeric
20 input device 706 capable of signaling movement of a given direction or manner of displacement. It is to be appreciated that the cursor control 707 also may be directed and/or activated via input from the keyboard using special keys and key sequence commands. Alternatively, the cursor may be directed and/or activated via input from a number of specially adapted
25 cursor directing devices.

Figure 8 illustrates a system 340 (also referred to as an "installer") in accordance with one embodiment of the present invention for allowing a portable computer system 100 (e.g., a palmtop or any portable computer system) to share information with a host computer system 342 (Figure 7).

5 Computer system 342 contains database 326, a software file sharing manager 322 (e.g., a hot-sync software manager), a file link configuration database 324, and a software conduit 320. The file link configuration database 324 is linked to the file sharing manager 322 and specifies, for a particular database, its source file, category information, and the frequency

10 of update for the database. Conduit 320 outlines the manner in which records are to be synchronized between databases under control of file sharing manager 322. This process, including the file sharing manager and the conduit, is described in United States Patent No. 5,884,323 by Hawkins et al., issued March 16, 1999, assigned to the assignee of the

15 present invention and hereby incorporated by reference.

With reference still to Figure 8, portions of the present method and system for efficiently providing desired information to a mobile device are comprised of computer-readable and computer-executable instructions

20 which reside, for example, in computer-usable media of for example, proxy server computer 36 of Figure 1A, personal computer 56 and/or laptop computer 58 of Figure 1B, or portable computer system 100 of Figures 1-5. It should be appreciated, however, that the present invention can operate within a number of different computer systems including general purpose

25 networked computer systems, embedded computer systems, and stand alone computer systems. The computer readable media includes such

items as, for example, a floppy disk, a compact disc, and the like which are coupled thereto or integral with the aforementioned computer systems.

With reference still to Figure 8, portable computer system 100 is
5 interfaced with computer system 342 using cradle 60 (Figure 1B).
Alternatively, portable computer system 100 can be interfaced with
computer system 342 using a wireless (e.g., radio) connection. During
synchronization between portable computer system 100 and database 326,
delta records 330a and 330b are passed through conduit 320 between
10 database 326 and a database of portable computer system 100 under control
of the file sharing manager 322. Delta records 330a and 330b represent
changes (including additions) that occurred on either portable computer
system 100 or on computer system 342. After synchronization, these two
databases will contain the same information. Namely, records updated on
15 portable computer system 100 are reflected in database 326 and vice versa.
The synchronization process (including the file sharing manager) is
described in United States Patent No. 6,006,274 by Hawkins et al., issued
December 21, 1999, assigned to the assignee of the present invention and
hereby incorporated by reference. Synchronization is also described in
20 United States Patent No. 5,727,202 by Kucala, issued March 10, 1998,
assigned to the assignee of the present invention and hereby incorporated by
reference, and also in United States Patent No. 5,832,489 by Kucala, issued
November 3, 1998, assigned to the assignee of the present invention and
hereby incorporated by reference.

DETAILED DESCRIPTION OF THE PRESENT EMBODIMENTS

With reference now to Figure 9, a schematic representation of a server 900 which achieves a method and system for dynamically managing content to be provided to a mobile device 100 (as shown in Figures 1A-5 as well) in accordance with one embodiment of the present invention is shown. The following discussion will begin with a description of the architecture of the present embodiments. This discussion will then be followed by a detailed description of the operation of the various embodiments of the present invention. Referring again to Figure 9, server 900 includes several logical entities which can be implemented on an independent personal server running on a personal computer (PC) such as, for example, computer 56 of Figure 1B. The present embodiment is also well suited to having components 902-910 reside at a Proxy Server (e.g. Proxy Server Computer 36 of Figure 1A) or to residing on a standard public web server. The present invention is also well suited to having at least a portion of components 902-910 residing on, for example, computer-usable media of mobile device 100. As will be described in detail below, the precise location at which components 902-910 are stored or the precise type of computer-usable media on which components 902-910 reside is not as important as the functionality and advantages provided thereby. Specifically, components 902-910 of the present embodiment enable dynamic management of the content provided to a mobile device even if the content has not previously been tailored to accommodate access by a mobile device.

25

Referring still to Figure 9, server 900 includes a language processor 902, a content reformatter 904, an image transcoder 906, an image filter 908,

and a text filter 910. As shown in Figure 9, mobile device 100 is able to wirelessly communicate with server 900. Although not shown in Figure 9 for purposes of clarity, numerous other elements/features (e.g. cellular sites, a base station, a telephone network, and the like) may be present
5 between server 900 and mobile device 100. Similarly, numerous other elements/features (e.g. a standard web server, communication systems, and the like) may be present between server 900 and network 52.

As will be described below in detail, server 900 is adapted to facilitate
10 the obtaining of the desired information from a network such as, for example, Internet 52 of Figures 1A and 1B. Additionally, server 900 is also well suited to being incorporated into or operating in conjunction with other systems such as, for example, Saraide or WAP (wireless access protocol).

DETAILED DESCRIPTION OF THE OPERATION OF THE PRESENT INVENTION

With reference next to Figure 10, a flow chart of exemplary steps performed in accordance with one embodiment of the present invention is shown. Flow chart 1000 includes processes of the present invention which, in one embodiment, are carried out by a processor under the control of computer-readable and computer-executable instructions. As mentioned above, the computer-readable and computer-executable instructions are stored, for example, in data storage features such as computer usable volatile memory 702 and/or computer usable non-volatile memory 703 of Figure 7. As stated above, the computer usable memory physically resides, for example, in proxy server computer 36 of Figure 1A, personal computer 56 and/or laptop computer 58 of Figure 1B, or portable computer system 100 of Figures 1-5. The computer-readable and computer-executable instructions are used to control or operate in conjunction with, for example, processor 701 of Figure 7. However, the computer-executable instructions, the computer-usable memory, and the processor are well suited to being located in any of various device and locations shown in the present Figures. Although specific steps are disclosed in flow chart 1000 of Figure 10, such steps are exemplary. That is, the present invention is well suited to performing various other steps or variations of the steps recited in Figure 10.

Furthermore, for purposes of explanation, many of the details of the present invention may be described in conjunction with an embodiment dealing with an ECommerce application. The present invention is not, however, limited to use with ECommerce applications. More specifically,

the present invention is well suited to use with any application and/or protocol in which there is a need to dynamically manage content to be provided to a user of a mobile device.

5 At step 1002, a mobile device (e.g. mobile device 100 of Figures 1A-4) issues a request, from an application invoked on the mobile device, to server 900 to access information on the network. In one embodiment, the mobile device is a palmtop computer which utilizes an ECommerce application and which seeks to access an ECommerce web-site on the Internet. As
10 mentioned above, however, many of the details of the present invention may be described in conjunction with an embodiment dealing with an ECommerce application. The present invention is not, however, limited to use with ECommerce applications. More specifically, the present invention is well suited to use with any application and/or protocol in which there is a
15 need to efficiently provide desired information to a user of a mobile device.

Referring still to Figure 10, in the present embodiment, the request from the mobile device to server 900, can occur using, for example, a wireless carrier network invoking a cellular digital packet data (CDPD)
20 protocol, a code division multiple access (CDMA) protocol, a global service for mobile (GSM) protocol, a time division multiple access (TDMA) protocol, or any of various other wireless transmission systems.

At step 1004, server 900 receives the request for information and
25 recognizes that the requested information is related to an ECommerce application. Mechanisms to achieve application identification include the use of an application flag in the packet, or examination of the uniform

resource locator (URL) to determine whether the requested information resides at an ECommerce site. When employing the method of the latter approach, URLs pertaining to ECommerce sites are listed at server 900 or the list of such URLs is accessible by server 900. Similarly, the present
5 invention would also recognize various other application types and/or sites which may be utilized by a user of the mobile device.

Next, at step 1006, server 900 which initially received the request for information from the mobile device, delivers the request to, for example, a
10 standard web server for handling. That is, server 900 requests that a standard web server retrieve, from network 56, the information requested by the mobile device. In one embodiment, server 900 is the server which initially receives the request from the mobile device. The present invention is, however, also well suited to an embodiment in which server 900 is not
15 the server which initially receives the request from the mobile device. In such an embodiment, the server which initially receives the request for information from the mobile device must know the address of server 900, and then forward the request to that server.

20 With reference now to step 1008, after the standard web server has retrieved the requested information and forwarded the requested information to server 900, an information filtering process is performed. For purposes of the present application, the end result of the information filtered by server 900 will be referred to as the "desired information." This
25 desired information differs from the type of information conventionally returned to a user of a mobile device. More specifically, information retrieved by conventional web-browsing systems without the benefit of the

present invention often contains unwanted content, superfluous data,
and/or information which is unrelated to the requested information. To the
contrary, in the present embodiment, server 900 determines which specific
information to retain (the desired information which will be subsequently
5 forwarded to the mobile device) and which information to discard.

With reference still to step 1008, server 900 of the present embodiment
retains only the information which most appropriately corresponds to the
request by the user of the mobile device. That is, server 900 discards or
10 ignores content that is in some way irrelevant to or superfluous for the
transaction. In one embodiment, server 900 employs language processor
902 to determine which content/information is relevant to the user's request
and which content/information is desired, by examining the encoded
content. In the following example, the content is encoded in extensible
15 markup language (XML). Although XML is specifically mentioned herein,
the present invention is well suited to the use of several other techniques
that could be used to encode or represent content.

With reference to Figure 11, a diagram of a typical ECommerce-
20 related web site 1100 is shown. Using web site 1100 as an example,
standard web content can be encoded via XML. For purposes of clarity and
explanation, the features of web site 1100 have reference numerals assigned
thereto (i.e. reference numerals 1102-1132). Reference numerals 1102-1132
are also listed below next to the XML code portions representing each
25 feature.

<ECommerce home page>
 <large vendor logo image> GIFFile#1 </large vendor logo image> (1102)
 <EcommerceButton Text> Shop </EcommerceButtonText>
 <ECommerce button image> GIFFile#2 </ECommerce button image> (1104)
 <EcommerceButton Text> Babies </EcommerceButtonText>
 <ECommerce button image> GIFFile#3 </ECommerce button image> (1106)
 <EcommerceButton Text> Girls </EcommerceButtonText>
 <ECommerce button image> GIFFile#4 </ECommerce button image> (1108)
 <EcommerceButton Text> Boys </EcommerceButtonText>
 <ECommerce button image> GIFFile#5 </ECommerce button image> (1110)
 <EcommerceButton Text> Mastercard </EcommerceButtonText>
 <ECommerce button image> GIFFile#6 </ECommerce button image> (1112)
 <EcommerceButton Text> Books and Toys </EcommerceButtonText>
 <ECommerce button image> GIFFile#7 </ECommerce button image> (1114)
 <EcommerceButton Text> Gift Certificates </EcommerceButtonText>
 <ECommerce button image> GIFFile#8 </ECommerce button image> (1116)
 <CompanyInfo > Gymboree Corporation </CompanyInfo> (1118)
 <CompanyInfo > Stores </CompanyInfo> (1120)
 <CompanyInfo > Play & Music </CompanyInfo> (1122)
 <CompanyInfo > Play & Music Franchises </CompanyInfo> (1124)
 <FAQs> Customer Service/FAQs </FAQs> (1126)
 <Jobs> Employment Opportunities </Jobs> (1128)
 <Guarantee> Quality Assurance </Guarantee> (1130)
 <small vendor logo image> GIFFFile#9 </small vendor logo image> (1132)
 </ECommerce home page>

Assuming such encoding, in the present embodiment, server 900 will filter out content contained in the following tags: <large vendor logo image>,

<ECommerce Button image>, <Company Info>, <Jobs>. As a result, server 900 discards or ignores content that is in some way irrelevant to or superfluous for the transaction. Thus, only that content which is necessary to conduct an ECommerce transaction is retained. Therefore, the resultant "desired information" is not cluttered with unnecessary content related to, for example, employment opportunities, franchises, corporate information, and the like. It is important to note, that the present invention, unlike conventional web clipping approaches does not arbitrarily clip/remove all images. Instead, the present invention is adapted to selectively retain images (and text corresponding thereto) which are necessary or which are deemed beneficial to a particular application. Furthermore, the present embodiment enables such dynamic management of the content even if the

content has not previously been tailored to accommodate access by a mobile device.

Referring again to step 1008, as an overview, in the present

5 embodiment, server 900 determines the type of application (e.g. ECommerce) to which the requested information pertains. Mechanisms to achieve application identification include, for example, checking to see if an application/content flag exists. In such a case, the text is scanned to match it against a predefined set of application-specific tags. For example, the

10 content is examined by the server to determine whether the content received at step 1008 is tagged with a markup language (e.g. XML), such as "ECommerce tags". If such tags are found in the text, the page is presumed to hold ECommerce content. Both mandatory as well as optional tags can be identified in the predefined ECommerce tag set. If the

15 mandatory tags for different applications do not overlap, the appearance of the mandatory tags is sufficient to indicate an ECommerce application. If there is tag overlap, further checking for optional tags is performed by the server. For an ECommerce, a sampling of mandatory tags could include <item> and <price>. These tags are then used to selectively retain or

20 discard information.

Referring still to step 1008, if a hierarchical tagging mechanism exists, server 900 is adapted to strip the content in a scalable manner to support multiple devices with different form factors. An example of hierarchical tags is as follows:

```
5  <product>
    <product id> 1 </productID>
    <name>Building operating systems</name>
    <description>
10  <text> This book describes how to build operating systems for i386 architecture
        </text>
    <image> encoding= "gif"
        compression= "zip">ASDI@#(:$ASDMFAMS@(#</image>
    </description>
15  <price>25$ US</price>
    <availability>Book usually ships in 48 hours</availability>
</product>
```

In this example, product is the key tag and name, description, price, and availability are sub-tags. Within the description tag are tags for text and image. For a minimal screen device, the data in the image tag can be stripped.

Referring still to step 1008, in addition to irrelevant content, there can also be non-essential information not suited for display on a small screen. For example, a search on a model name can result in the return of multiple entries. It is reasonable to trade the amount of information displayed for a better user experience. Based on this observation, the server 900 can choose to display the first few entries (the actual number is based on user specified preference). Other similar approaches include displaying only the first few lines of a detailed product description. If the user knows what to buy, he/she can move forward, otherwise the user can tap on a "more info" link to view the full content. In order to achieve this, the present invention relies on markup technologies such as XML that can tag the content so that the server

900 can dissect the components of a web page and determine whether or not to display those components. Although XML is specifically recited in one embodiment of the present invention, XML is used only as one example of a markup language. More importantly, original web content is semantically
5 encoded in a standard language. This could be done manually or automatically.

Hence, server 900 saves bandwidth and delivers a more focused user experience. More specifically, in the present embodiment, the first “web
10 page” a user is delivered will contain only information necessary to facilitate use of the site, not all information (unrelated advertisements, excess logos, superfluous banners, and the like) which are conventionally present at that site. In so doing, the present embodiment eliminates the user input-intensive and tedious browsing activities associated with
15 reaching the desired content. Additionally, because only pertinent information will subsequently be wirelessly forwarded to the mobile device, the present embodiment reduces the costs associated with wirelessly accessing information or conducting, for example, ECommerce activities.

Referring still to step 1008 of Figure 10, once the application type is identified, the server 900 processes the page using filtering/compression techniques. Filtering approaches, in the present embodiment, include, for example, text filtering using text filter 910 of Figure 9 to selectively delete unnecessary text. Image filtering using image filter 908 to selectively delete
25 unnecessary images is also employed in one embodiment of the present invention. As mentioned above, by default, conventional proxy servers generally strip images if they are forced to process image content.

However, some ECommerce sites will have images that may aid in the purchase decision. In such cases, multiple images from a single ECommerce website page may need to be reformatted for effective screen display. However, simple prior art techniques will not suffice, as many

5 ECommerce sites rely on images, "buy now" buttons, and shopping cart icons. In the present embodiment, server 900 performs image filtering only to remove redundant or unnecessary images. Examples of superfluous images might include banners and vendors logos. In the above example, a redundant image such as the company logo will be filtered by locating

10 content encoded in the tag <large vendor logo image>. Although such specific filtering approaches are mentioned above, the present embodiment is also well suited to the use of various other filtering approaches as well.

Referring still to step 1008 of Figure 10, in the present embodiment,

15 image transcoding by image transcoder 906 is performed if the image is a key part of the ECommerce transaction. Image transcoding is needed to scale images to an appropriate viewing size and to transform images into appropriate resolution and color depth. In one embodiment, a standard image transcoding algorithm is used, such as those typically found in an

20 hypertext transfer protocol (HTTP) transcoding proxy.

With reference now to step 1010 of Figure 10, server 900 then reformats the desired information. More specifically, a module (e.g. content reformatter 904) uses as input a set of mobile device characteristics

25 (e.g. screen height and width) and dynamically reformats the desired information based on these parameters. This reformatting typically involves line wrapping, scroll indicators, or other techniques dictated by the

small screen size of the mobile device. In one ECommerce embodiment, content reformatter 904 either retrieves a predefined ECommerce template that matches the mobile device's characteristics or retrieves a "standard" Internet ECommerce site template and dynamically scales it down to fit the mobile device's characteristics. If the mobile device's characteristics are not available, content reformatter 904 scales the content to the minimum template size. Finally, via content identification techniques, such as, for example, XML tagging, appropriate content is located and used to fill the template with the proper values. In an embodiment in which the XML language is used, style sheets can be designed and pre-stored for different types and sizes of devices.

Next, at step 1012, server 900 then passes the processed desired information (e.g. web page) back to the mobile device. As mentioned above, in one embodiment this transmission from server 900 to the mobile device takes place via a wireless communication system invoking a cellular digital packet data (CDPD) protocol, a code division multiple access (CDMA) protocol, a global service for mobile (GSM) protocol, a time division multiple access (TDMA) protocol, or any of various other wireless transmission schemes.

Next, at step 1014, after receiving the desired information transmitted at step 1012, the mobile device displays the preprocessed content (e.g. a web page(s)) on its screen.

It will be seen that several substantial advantages are realized by the present invention. Among these advantages are ease of use, lower cost, and improved response time for mobile device operators.

5 Thus, present invention provides a method and system which dynamically manages the content provided to a mobile device. The present invention further provides a method and system which achieves the above accomplishment and which dynamically manages the content provided to a mobile device even if the content has not previously been tailored to
10 accommodate access by a mobile device. The present invention also provides a method and system which achieves the above accomplishment and which inexpensively, and quickly provides a mobile device user with desired information without supplying superfluous and/or unwanted information.

15 The foregoing descriptions of specific embodiments of the present invention have been presented for purposes of illustration and description. They are not intended to be exhaustive or to limit the invention to the precise forms disclosed, and obviously many modifications and variations are
20 possible in light of the above teaching. The embodiments were chosen and described in order best to explain the principles of the invention and its practical application, to thereby enable others skilled in the art best to utilize the invention and various embodiments with various modifications suited to the particular use contemplated. It is intended that the scope of
25 the invention be defined by the Claims appended hereto and their equivalents.

CLAIMS

1. A method for dynamically managing content provided to a mobile device, said method comprising the steps of:

- a) retrieving information from a network;
- 5 b) dynamically assessing said information;
- c) selectively filtering said information such that desired information is compiled; and
- d) forwarding said desired information to said mobile device.

10 2. The method of Claim 1 for dynamically managing content provided to a mobile device wherein step a) comprises retrieving information from said network wherein said information has not previously been tailored for interaction with a mobile device.

15 3. The method of Claim 1 for dynamically managing content provided to a mobile device wherein step b) comprises determining the application to which said information corresponds.

20 4. The method of Claim 1 for dynamically managing content provided to a mobile device wherein step b) comprises determining if said information contains an application-specific tag.

25 5. The method of Claim 4 for dynamically managing content provided to a mobile device wherein step c) comprises selectively filtering said information such that said desired information is compiled by retaining only essential portions of said information which contains said application-specific tag.

006230"41320960

6. The method of Claim 1 for dynamically managing content provided to a mobile device wherein step c) comprises selectively filtering said information such that said desired information is compiled by
5 subjecting said information to a text filter, an image filter, and an image transcoder.

7. The method of Claim 1 for dynamically managing content provided to a mobile device wherein step d) further comprises, prior to
10 forwarding said desired information to said mobile device, reformatting said desired information based upon characteristics of said mobile device.

8. A computer system comprising:
a processor;
15 an address/data bus coupled to said processor;
a computer readable memory coupled to communicate with said processor, said processor for performing the dynamic content management steps of:
a) retrieving information from a network;
20 b) dynamically assessing said information;
c) selectively filtering said information such that desired information is compiled; and
d) forwarding said desired information to a mobile device.

25 9. The computer system as recited in Claim 8 wherein step a) of said dynamic content management steps performed by said processor further comprises retrieving information from said network wherein said

information has not previously been tailored for interaction with a mobile device.

10. The computer system as recited in Claim 8 wherein step b) of said
5 dynamic content management steps performed by said processor further comprises determining the application to which said information corresponds.

11. The computer system as recited in Claim 8 wherein step b) of said
10 dynamic content management steps performed by said processor further comprises determining if said information contains an application-specific tag.

12. The computer system as recited in Claim 11 wherein step b) of
15 said dynamic content management steps performed by said processor further comprises selectively filtering said information such that said desired information is compiled by retaining only essential portions of said information which contains said application-specific tag.

13. The computer system as recited in Claim 8 wherein step c) of said
20 dynamic content management steps performed by said processor further comprises selectively filtering said information such that said desired information is compiled by subjecting said information to a text filter, an image filter, and an image transcoder.

25

14. The computer system as recited in Claim 8 wherein step d) of said dynamic content management steps performed by said processor

005290-482035
further comprises, prior to forwarding said desired information to said mobile device, reformatting said desired information based upon characteristics of said mobile device.

5 15. A computer-usable medium having computer-readable program code embodied therein for causing a computer to perform the dynamic content management steps of:

- a) retrieving information from a network;
- b) dynamically assessing said information;
- 10 c) selectively filtering said information such that desired information is compiled; and
- d) forwarding said desired information to a mobile device.

15 16. The computer-usable medium as recited in Claim 15, wherein said computer-usable medium further causes said computer performing step a) to retrieve said information from said network wherein said information has not previously been tailored for interaction with a mobile device.

20 17. The computer-usable medium as recited in Claim 15, wherein said computer-usable medium further causes said computer performing step b) to determine the application to which said information corresponds.

25 18. The computer-usable medium as recited in Claim 15, wherein said computer-usable medium further causes said computer performing step b) to determine if said information contains an application-specific tag.

19. The computer-usable medium as recited in Claim 18, wherein
said computer-usable medium further causes said computer performing
step b) to selectively filter said information such that said desired
information is compiled by retaining only essential portions of said
5 information which contains said application-specific tag.

20. The computer-usable medium as recited in Claim 15, wherein
said computer-usable medium further causes said computer performing
step c) to selectively filter said information such that said desired
10 information is compiled by subjecting said information to a text filter, an
image filter, and an image transcoder.

21. The computer-usable medium as recited in Claim 15, wherein
said computer-usable medium further causes said computer performing
15 step d) to reformat said desired information based upon characteristics of
said mobile device prior to forwarding said desired information to said
mobile device.

DYNAMIC CONTENT MANAGEMENT
FOR WIRELESS COMMUNICATION SYSTEMS

5

ABSTRACT OF THE DISCLOSURE

A method and system for dynamically managing content provided to a mobile device. In one embodiment, the present invention begins by retrieving information from a network. In one embodiment the information is web-based content, and the network is the Internet. The present method and system then dynamically assesses the information which was retrieved from the network. In particular, in one embodiment, the present invention assesses the information by determining the application to which the information corresponds. Next, the present embodiment selectively filters the information such that desired information is compiled. After the selective filtering process, the present embodiment forwards the desired information to the mobile device. In so doing, the present embodiment provides an approach which dynamically manages the content of information so as to efficiently, responsively, and inexpensively provide a mobile device user with desired information.

50




FIG. 1A




FIG. 1B

100a




FIG. 3




FIG. 4

100




FIG. 5


60

FIG. 6




FIG. 7




FIG. 8




Fig. 9

005290-46570960




Fig. 10




Fig. 11

Declaration and Power of Attorney for a Patent Application

Declaration

As below named inventor, I hereby declare that my residence post office address, and citizenship are as stated below my name. Further, I hereby declare that I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

DYNAMIC CONTENT MANAGEMENT FOR WIRELESS COMMUNICATION SYSTEMS

the specification of which:

.....X..... is attached hereto, or
 was filed on as application serial no. : and
 was amended on

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above; and

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, Section 1.56(a).

Foreign Priority Claim

I hereby claim foreign priority benefits under Title 35, United States Code Section 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Number	Country	Date Filed	Priority Claimed
..... yes no
..... yes no

U.S. Priority Claim

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, Section 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

Serial Number	Filing Date	Status (patented/pending/abandoned)
.....
.....

Power of Attorney

As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent Trademark Office connected therewith.

James P. Hao	Registration No.: 36,398
Anthony C. Murabito	Registration No.: 35,295
John P. Wagner	Registration No.: 35,398
Glenn D. Barnes	Registration No.: 42,293
Thomas M. Catale	Registration No.: P-46,434
Jose S. Garcia	Registration No.: 43,628
Kenneth N. Glass	Registration No.: 42,587
Wilfred H. Lam	Registration No.: 41,923
Patrick W. Ma	Registration No.: 44,215
Christopher R. Novak	Registration No.: 42,041
Ronald M. Pomerence	Registration No.: 43,009
William A. Zarbis	Registration No.: 46,120

Send Correspondence to:

WAGNER, MURABITO & HAO LLP
Two North Market Street
Third Floor
San Jose, California 95113
(408) 938-9060

Signatures

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full Name of Sole/First Inventor: Elaine Lusher

Inventor's Signature *Elaine Lusher* Date 6/29/00

Residence Pleasanton, California Citizenship USA

(City State)

P.O. Address 456 Montori Court, Pleasanton, California 94566

Full Name of Second/Joint Inventor: Wenjun Luo

Inventor's Signature _____ Date _____

Residence Cupertino, California Citizenship China

(City State)

P.O. Address 21970 Oaknoll Court, Cupertino, California 95014

006290-44320960

Full Name of Second/Joint Inventor: Scott Lincke

Inventor's Signature _____ Date _____

Residence San Carlos, California Citizenship USA
(City State)

P.O. Address 867 Cordilleras Avenue, San Carlos, California 94070

005230-48430360

Declaration and Power of Attorney for a Patent Application

Declaration

As below named inventor, I hereby declare that my residence post office address, and citizenship are as stated below my name. Further, I hereby declare that I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

DYNAMIC CONTENT MANAGEMENT FOR WIRELESS COMMUNICATION SYSTEMS

the specification of which:

.....X..... is attached hereto, or
 was filed on as application serial no. : and
 was amended on

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above; and

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, Section 1.56(a).

Foreign Priority Claim

I hereby claim foreign priority benefits under Title 35, United States Code Section 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Number	Country	Date Filed	Priority Claimed
..... yes no
..... yes no

U.S. Priority Claim

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, Section 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

Serial Number	Filing Date	Status (patented/pending/abandoned)
.....
.....

005230-4630360

Power of Attorney

As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent Trademark Office connected therewith.

James P. Hao	Registration No.: 36,398
Anthony C. Murabito	Registration No.: 35,295
John P. Wagner	Registration No.: 35,398
Glenn D. Barnes	Registration No.: 42,293
Thomas M. Catale	Registration No.: P-46,434
Jose S. Garcia	Registration No.: 43,628
Kenneth N. Glass	Registration No.: 42,587
Wilfred H. Lam	Registration No.: 41,923
Patrick W. Ma	Registration No.: 44,215
Christopher R. Novak	Registration No.: 42,041
Ronald M. Pomerence	Registration No.: 43,009
William A. Zerbis	Registration No.: 46,120

Send Correspondence to:

WAGNER, MURABITO & HAO LLP
Two North Market Street
Third Floor
San Jose, California 95113
(408) 938-9060


Signatures

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full Name of Sole/First Inventor: Elaine Lusher

Inventor's Signature _____ Date _____
Residence Pleasanton, California Citizenship USA
(City State)
P.O. Address 456 Montori Court, Pleasanton, California 94566

Full Name of Second/Joint Inventor: Wenjun Luo

Inventor's Signature  Date 6/28/00
Residence Cupertino, California Citizenship China
(City State)
P.O. Address 21970 Oaknoll Court, Cupertino, California 95014

006290-4ES20960

Declaration and Power of Attorney for a Patent Application

Declaration

As below named inventor, I hereby declare that my residence post office address, and citizenship are as stated below my name. Further, I hereby declare that I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

DYNAMIC CONTENT MANAGEMENT FOR WIRELESS COMMUNICATION SYSTEMS

the specification of which:

.....☒..... is attached hereto, or
 was filed on as application serial no. : and
 was amended on

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above; and

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, Section 1.56(a).

Foreign Priority Claim

I hereby claim foreign priority benefits under Title 35, United States Code Section 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Number	Country	Date Filed	Priority Claimed
..... yes no
..... yes no

U.S. Priority Claim

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, Section 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

Serial Number	Filing Date	Status (patented/pending/abandoned)
.....
.....

006290"4620960

Power of Attorney

As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent Trademark Office connected therewith.

James P. Hao	Registration No.: 36,398
Anthony C. Murabito	Registration No.: 35,295
John P. Wagner	Registration No.: 35,398
Glenn D. Barnes	Registration No.: 42,293
Thomas M. Catale	Registration No.: P-46,434
Jose S. Garcia	Registration No.: 43,628
Kenneth N. Glass	Registration No.: 42,587
Wilfred H. Lam	Registration No.: 41,923
Patrick W. Ma	Registration No.: 44,215
Christopher R. Novak	Registration No.: 42,041
Ronald M. Pomerence	Registration No.: 43,009
William A. Zarbis	Registration No.: 46,120

Send Correspondence to:

WAGNER, MURABITO & HAO LLP
Two North Market Street
Third Floor
San Jose, California 95113
(408) 938-9060

Signatures

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full Name of Sole/First Inventor: Elaine Lusher

Inventor's Signature _____ Date _____
Residence Pleasanton, California Citizenship USA
(City State)
P.O. Address 456 Montori Court, Pleasanton, California 94566

Full Name of Second/Joint Inventor: Wenjun Luo

Inventor's Signature _____ Date _____
Residence Cupertino, California Citizenship China
(City State)
P.O. Address 21970 Oaknoll Court, Cupertino, California 95014

006290-4620960

Full Name of Second/Joint Inventor: Scott Lincke

Inventor's Signature *Scott Lincke* Date 6/28/06

Residence San Carlos, California Citizenship USA
(City State)

P.O. Address 867 Cordilleras Avenue, San Carlos, California 94070

005230-4630960